

The Global Hydro Industry Historical, Present, and Future Generation Statistics to 2025

Ed 2, 2015

Market Intelligence

Following years of stagnation and bad press, hydro power is experiencing resurgence. Technologies with a lower environmental impact such as run-of-river, small hydro and low head turbines are proving to be extremely popular to both appease critics of hydro and meet energy needs. So much so that in the USA, the regulator of hydro projects, the FERC, has signed memorandum of understandings with five states to streamline the licensing of small projects.

There has been an increase in pumped storage projects as a standalone option and retrofitted on to existing hydro power assets. As pumped storage is the most mature technology to store electricity generated from intermittent renewables such as wind and solar and then release it to meet peak demand. A large number of such projects are planned or under construction in the USA, China and Europe, which have a significant number of solar and wind projects installed or in the pipeline.

As in previous years, the top four countries in terms of installed capacity are China, the USA, Brazil and Canada. While China and Brazil are still developing mega plant, both Canada and the USA are focussing more on uprating, smaller scale and run-of-river projects. The most interesting is the Niagara tunnel, a giant tunnel to redirect water flow to increase electricity generation at the Sir Adam Beck Generating Stations, increasing electricity generation at the plants.

Worldwide there is a growing trend to plan hydro projects that meet both local demand and the export market. The main barrier to getting these and other projects off the ground is poor access to finance. Several Chinese banks are offering financing for both domestic and international projects, especially in Africa. Usually these projects use Chinese companies such as Sinohydro, which constructs hydro projects, and Dong fang, a manufacturer of hydro turbines. Despite this competition, Alston Power, Andritz and Voith Hydro remain as the main manufacturers of hydro turbines. Collectively these companies hold 80% of the total market share and are horizontally integrated across the sector. All offer products and services for the lifetime of the plant and have moved into the tidal or ocean energy market. However, NRG EXPERT expects growing competition following the announcement that the Japanese companies, Hitachi, Mitsubishi Electric and Mitsubishi Heavy Industries, are planning to consolidate their operations into one business.

Innovation in the sector has been lacking and has mainly been in the use of computation for monitoring, diagnosis and control of plants. ABB is one of the main companies producing these products, especially for hydro plants in Europe.

More environmentally friendly hydro products are likely to enter the market in the future as the environmental impact of projects along with local opposition from tribal groups are significant barriers to the development of projects. In China many hydro projects are on hold pending environmental review. In North America hydro projects in tribal lands need the consent of the local community to go ahead. Not to mention projects in the Amazon basin can involve the relocation of tribal communities.

Highlights

Over the mid-term NRG EXPERT expects considerable growth in new hydro capacity. Most growth is expected in the Asia Pacific region, especially in the growing economic power houses of China and India. Along with neighbouring countries which export excess electricity over their borders. Significant growth is also expected in Latin America.

In the developed world pumped storage is going to keep a pace with growth of intermittent renewable capacity. Small hydro is likely to continue to grow in Europe due to generous feed-in tariffs. Canada and the USA are likely to continue upgrading existing facilities. Large projects may be fewer and far between, especially projects with limited storage capacity. As their output is highly dependent upon rainfall, and future rainfall patterns are very hard to predict, and how they might be affected by climate change.

Price - £1,050

Code – NRGHR2

***Please note – prices are also available in US Dollars and Euros. Please consult**

www.nrgexpert.com.

For further information on these products or future editions please contact us at:

Tel: + 44 (0) 20 8432 3059 OR info@nrgexpert.com

Contents

| | |
|--|----|
| 1. Executive Summary | 5 |
| The contribution of hydro power to primary energy supply..... | 5 |
| The importance of hydro power to electricity generation..... | 6 |
| Hydroelectric resources | 6 |
| 2. Hydro electricity generating capacity | 8 |
| 3. History of hydro power | 9 |
| The Big Dam period in the USA..... | 9 |
| Small Hydropower (SHP)..... | 12 |
| Development of SHP in Europe | 12 |
| Development of SHP in China | 13 |
| 4. Technical Background | 14 |
| Types of hydropower | 14 |
| Impoundment hydropower | 14 |
| Run-of-river projects | 14 |
| Micro hydropower Projects | 15 |
| Diversion Hydropower..... | 15 |
| Pumped storage..... | 16 |
| Head..... | 17 |
| Life expectancy | 17 |
| Turbine technologies for small-, mid- and large-scale hydro plants | 18 |
| New innovations..... | 19 |
| 5. Base Load, Intermediate and Peak Load with Hydropower | 20 |
| Variations of demand | 20 |
| Security of supply..... | 21 |
| 6. Environmental concerns | 22 |
| World Bank review | 22 |
| Environmental impacts of dams and hydro plants | 22 |
| 1. Upstream of the dam, the imposition of a reservoir in place of a river valley. | 22 |
| 2. Changes in downstream morphology of riverbeds and banks, delta, estuary and coastline due to altered sediment load. | 23 |
| 3. Changes in downstream water quality: effects on river temperature, nutrient load, turbidity, dissolved gases, concentration of heavy metals and minerals..... | 23 |
| 4. Reduction of biodiversity due to blocking of movement of organisms and because of changes 1, 2 and 3 above..... | 23 |
| Greenhouse gases and methane | 24 |
| Examples of environmental degradation | 24 |
| Small hydro power | 25 |
| Earthquakes..... | 25 |

| | |
|--|----|
| 7. Sources | 27 |
| 8. Appendix 1 – The computation of power | 28 |



ORDER FORM

Please complete the following information:

Title: Mr./Mrs./Miss./Ms./Dr./Other: First Name

Last Name: Suffix

Job Title Department

Company

Address

Postal Code City State/Prov

Country: E-mail

Tel: Fax:

| Product Name | Product Code | Price |
|--------------------------------|--------------|-------|
| | | |
| | | |
| | | |
| | | |
| | | |
| 20% VAT (if applicable) | | |
| Total | | |

VAT Number (EU Businesses only)

Where applicable, UK VAT at 20% should be added for all purchases made from the United Kingdom or European Union. VAT Registered business customers within the European Union (Excluding UK) may enter a valid VAT number above and exclude VAT.

Delivery Options

Hard Copy ^{1, 2}
 Electronic Download ¹
 Both ^{1, 2}

¹Additional Charges:

Secure Electronic Download (1-3 users only): No Extra Cost
Electronic Enterprise internal license (>3 users): Cost + 100%
For all other multiple user licenses and for external use please contact sales@NRGExpert.com.

²Hard Copy: UK - £120, Europe - £180/€200 Rest of World - £240/\$330 (all prices include delivery and are subject to change)

Payment Options

Cheque enclosed (made payable to NRG Smarts Limited)
 Credit Card
 Bill me
 Visa MasterCard

Card Number Expiry date

CVC/Signature code (last 3 numbers on back of card)

Date: Signature

Our Usual Terms & Conditions shall apply to this order. Please see www.NRGExpert.com. NRGExpert is a trading name of NRG Smarts Limited, incorporated in England & Wales under company number 7468718.

E&OE

**Please return the signed and completed order form to NRG Expert
 by Fax +44 (0)20 8150 6267 or scan and E-mail to sales@NRGExpert.com**